

IOWA DEPARTMENT OF AGRICULTURE & LAND STEWARDSHIP
ANIMAL INDUSTRY BUREAU
DES MOINES OFFICE: 515-281-6358

Animal Welfare Inspection Form

Insp Date: 7/26/2022 **Business ID:** 3005

Business: 4 PAWS UNLEASHED
 15303 HICKMAN RD

CLIVE, IA 50325

Inspection: AG004686

Store ID:

Phone: 515-987-7918

Livestock Inspector: 03 Alissa Puffett

Reason: Annual

Results: NON-COMPLIANT

Reference:

Licensee Information

License Number: 3005 Expiration Date 12/26/2022 License Posted p

Inspection Categories

Commercial Breeder ☐ Animal Shelter ☐ Pet Shop ☐ Commercial Kennel ☒

Boarding Kennel ☐ Pound ☐ Dealer ☐ Public Auction ☐

Rescue ☐ In Home Facility ☐ Dog Daycare ☒ FOO ☐

Number of Animals: Dogs 101 Cats 3 Puppies 0 Kittens 0

Rabbits ☐ Birds ☐ Reptiles ☐ Rodents ☐ Fish ☐

Temperature 73F Humidity 62%

Other:

INSPECTOR: MARK THE APPROPRIATE BUTTON

HOUSING FACILITIES

Yes No N/A

- | | | | |
|--------------------------------------|-------------------------------------|-------------------------------------|--------------------------|
| 1. Structure and Repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Shelter | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3. Ventilation, Temperature and Odor | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4. Lighting | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 5. Ceilings, Walls, Floors | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Notes *Chapter 67.3(1)(f) Housing Facilities*

f. Ceilings, walls and floors shall be constructed so as to lend themselves to efficient cleaning and sanitizing. Such surfaces shall be kept in good repair and maintained so that they are substantially impervious to moisture. Floors and walls to a height of four feet shall have finished surfaces. No sharp or jagged edges may be present that may injure an animal. Animal contact surfaces must be free of excessive rust that prevents required cleaning and sanitizing or that affects the structural strength of the surface or that may be detrimental to the health of the animal.

[Wooden door frames in boarding and daycare areas showing significant chewing/scratching damage. Wooden furniture in daycare areas starting to show significant chewing/scratching damage. Wooden half door in lobby showing significant chewing/scratching damage.]

- | | | | |
|------------|-------------------------------------|--------------------------|--------------------------|
| 6. Storage | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|------------|-------------------------------------|--------------------------|--------------------------|

Animal Welfare Inspection Form

HOUSING FACILITIES		Yes	No	N/A
7. Group Housing, Runs & Exercise Areas		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Drainage, Waste Disposal and Vermin Control		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PRIMARY ENCLOSURES		Yes	No	N/A
9. Structure and Repair		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Notes	<p><i>Chapter 67.3(2)(a) Primary Enclosures</i></p> <p><i>a. Primary enclosures shall be of sound construction and maintained in good repair to protect the animals from injury. No sharp points or jagged edges may be present that may cause injury to an animal. Animal contact surfaces must be free of excessive rust that prevents required cleaning and sanitizing or that affects the structural strength of the surface or that may be detrimental to the health of the animal. Animal contact surfaces must also be free of jagged edges, sharp points and anything that may cause injury to an animal. [Boarding kennel walls starting to show significant chewing/scratching damage. Wire kennels and wire gates between daycare areas starting to show minor rust.]</i></p>			
10. Space and Group Housing		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11. Ventilation & Temperature		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12. Secured Latches		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CLEANING AND SANITATION		Yes	No	N/A
13. Washrooms, Basins, Sinks		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14. Cleaning and Sanitization		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Notes	<p><i>Chapter 67.8(5)(b) Sanitation Requirements</i></p> <p><i>b. Used primary enclosures and food and water receptacles must be cleaned and sanitized before they can be used to house, feed or water another animal. [Some plastic water bowls are showing significant chewing damage.]</i></p>			
CARE & HUSBANDRY		Yes	No	N/A
15. Adequate Feed and Water		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16. Exercise		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17. Personnel		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VETERINARY CARE		Yes	No	N/A
18. Isolation Facilities		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19. Disease Prevention and Control (including vaccinations)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20. Symptoms, Illnesses and Treatment		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21. Veterinary Agreement and Inspection		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
TRANSPORTATION		Yes	No	N/A
22. Primary Enclosures		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23. Vehicles		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24. Care in Transit		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
RECORDS		Yes	No	N/A
25. Purchase, Sale, Transfer, Adoption		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Animal Welfare Inspection Form

RECORDS		Yes No N/A
26. Animal Shelter and Pound Records		i i ✕
BOARDING KENNEL AND COMMERCIAL KENNEL		Yes No N/A
27. Boarding Kennel and Commercial Kennel		✕ i i
DEALER		Yes No N/A
28. Dealer		i i ✕
DOG DAY CARE		Yes No N/A
29. Dog Day Care		i ✕ i
<i>Notes</i>	<div style="border-left: 1px solid black; padding-left: 5px;"> <i>Chapter 67.8(4)(a) Group Interaction</i> </div> <div style="padding-left: 15px;"> <i>a. Group interaction is permitted for dogs, including dogs owned by different owners that are compatible with one another. A facility licensed as a dog day care shall comply with all requirements in this rule during all hours of operation. [Five dogs at large in grooming room at time of inspection.]</i> </div>	
RESCUE		Yes No N/A
30. Rescue		i i ✕
IN HOME FACILITY		Yes No N/A
31. In Home Facility		i i ✕
FOSTER OVERSIGHT ORGANIZATION		Yes No N/A
32. Foster Oversight Organization		i i ✕

Animal Welfare Inspection Form

Footnote 1

Notes:

Wooden door frames in boarding and daycare areas showing significant chewing/scratching damage. Wooden furniture in daycare areas starting to show significant chewing/scratching damage. Wooden half door in lobby showing significant chewing/scratching damage. Wooden surfaces must be kept in good repair and sealed so as to be impervious to moisture in order to be properly cleaned and disinfected. Damaged wooden surfaces must be painted, sealed, replaced, or covered to compliant by 08/16/22.

Footnote 2

Notes:

Boarding kennel walls showing significant chewing/scratching damage. Kennels must be kept in good repair to prevent hazards to the dogs and so as to be impervious in order to be properly cleaned and disinfected. Damaged kennel walls must be repaired, painted, sealed, or covered to be compliant by 08/16/22.

Wire kennels and wire gates in between daycare areas starting to show minor rust. Recommend addressing before rust becomes excessive (citeable).

Footnote 3

Notes:

Some plastic water bowls used in daycare are showing significant chewing damage, making them unable to be thoroughly cleaned and disinfected and a potential injury risk to dogs. Significantly damaged water or food bowls should be discarded or replaced. To be compliant by 08/16/22.

Footnote 4

Notes:

Has signed an emergency vet care agreement with Dr. Bunn.

Footnote 5

Notes:

Five dogs at large in grooming room at time of inspection. Any commingling of dogs must be compliant with the dog daycare rules, including minimum square footage (50 sq ft per dog), direct supervision of play group (groomers cannot act as supervisors while grooming dogs), designated primary enclosures, rest time, written temperament assessments, etc. Grooming room is of insufficient size to allow facility to be compliant with daycare rules. Addressed at time of inspection. Will recheck for compliance on reinspection on 08/16/22.